

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/789,585	02/27/2004	Katherine H. Guo	10-6-34-11	7778
Lucent Technologies Inc. Docket Administrator (Room 3J-219)			EXAMINER	
			HOANG, HIEU T	
101 Crawfords Corner Road Holmdel, NJ 07733-3030		ART UNIT	PAPER NUMBER	
			2152	
			MAIL DATE	DELIVERY MODE
			10/23/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		•	I
7	Application No.	Applicant(s)	
	ion Summary Examiner Art Unit	GUO ET AL.	
Office Action Summary	Examiner	Art Unit	
	Hieu T. Hoang	2152	
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	ith the correspondence address	,
A SHORTENED STATUTORY PERIOD FOR REWHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFI after SIX (6) MONTHS from the mailing date of this communication - If NO period for reply is specified above, the maximum statutory pe - Failure to reply within the set or extended period for reply will, by st Any reply received by the Office later than three months after the mearned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIA R 1.136(a). In no event, however, may a riod will apply and will expire SIX (6) MO atute, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communicati BANDONED (35 U.S.C. § 133).	·
Status			
1) Responsive to communication(s) filed on 2	7 February 2004.		
2a) ☐ This action is FINAL . 2b) ☑ 1	This action is non-final.		
3) Since this application is in condition for allo	*	· ·	is
closed in accordance with the practice und	er <i>Ex parte Quayle</i> , 1935 C.I). 11, 453 O.G. 213.	
Disposition of Claims		•	
4a) Of the above claim(s) is/are with 5) ☐ Claim(s) is/are allowed. 6) ☑ Claim(s) <u>1-29</u> is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and			
Application Papers			
9) ☐ The specification is objected to by the Exam 10) ☑ The drawing(s) filed on 27 February 2004 is Applicant may not request that any objection to Replacement drawing sheet(s) including the cor 11) ☐ The oath or declaration is objected to by the	s/are: a)⊠ accepted or b)□ the drawing(s) be held in abeya rrection is required if the drawing	nce. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of: 1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the priority docum application from the International But * See the attached detailed Office action for a	nents have been received. Idents have been received in Appriority documents have been reau (PCT Rule 17.2(a)).	Application No received in this National Stage	٠.
Attachment(s)			
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) (s)/Mail Date	

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06)

3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 01/24/2005.

Notice of Draftsperson's Patent Drawing Review (PTO-948)

5) Notice of Informal Patent Application

6) Other: _

2)

Art Unit: 2152

DETAILED ACTION

1. This office action is in response to the communication filed on 02/27/2004.

2. Claims 1-29 are pending and presented for examination.

Specification

- 3. The disclosure is objected to because it contains an embedded hyperlink and/or other form of browser-executable code (see pages 2 and 6 of the specification).

 Applicant is required to delete the embedded hyperlink and/or other form of browser-executable code. See MPEP § 608.01.
- 4. The listing of references in the specification is not a proper information disclosure statement. 37 CFR 1.98(b) requires a list of all patents, publications, or other information submitted for consideration by the Office, and MPEP § 609.04(a) states, "the list may not be incorporated into the specification but must be submitted in a separate paper." Therefore, unless the references have been cited by the examiner on form PTO-892, they have not been considered. The specification includes incorporated reference such as on page 6 lines 17-21. These references should be submitted in the Information Disclosure Statement. Correction is required.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Art Unit: 2152

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

- 6. Claims 1-29 are rejected under 35 U.S.C. 102(b) as being anticipated by Lin et al. (Sync-MS: Synchronized Messaging Service for Real-Time Multi-Player Distributed Games, hereafter Lin).
- 7. For claim 1, Lin discloses a method of providing a fair exchange of messages to players of a distributed multi-player game taking place over a communications network (title, abstract), said method comprising the steps of:

utilizing a multi-player game server that generates update messages to said players and receives action messages from said players (introduction, par. 2, game server sends update messages to players and receives action messages from the players);

delivering said action messages for processing by said game server in an order of increasing reaction time (fig. 2, p. 3, col. 2, par. 2, sync_in, the SMS or sync-MS server delivers A2 action message before A1 action message, since player 2 reacts faster), reaction time being a difference between reception of an update message by a player and a sending of an action message by said player in response to said update message (fig. 2, p. 3, col. 2, par. 2, sync_in, time between the arrival of update message and sending out of action message at the player).

Art Unit: 2152

8. For claim 2, Lin further discloses a game server proxy is operable in connection with said game server for receiving and ordering of said action messages and forwarding said action messages to said game server (fig. 2, SMS, sync-MS-server).

Page 4

- 9. For claim 3, Lin further discloses each action message received at said game server proxy is delayed until a computed delivery time is reached to ensure fair processing of the action messages sent from all players (fig. 2, p. 3, col. 2, par. 2, sync_in, last 2 lines, mark 2 shows added delay to ensure that faster reaction will get to the server first).
- 10. For claim 4, Lin further discloses said server proxy associates a message number with the update messages sent to said players thereby tracking an update message to which an action message responds (fig. 2, update messages U1, U2).
- 11. For claim 5. The method of claim 2 wherein said server proxy records a sending time for an update message and associates said update message with a sending time (fig. 2, sending times of U1 and U2 are recorded).
- 12. For claim 6, Lin further discloses a player proxy is operable in connection with said game server for receiving said update messages from said game server and forwarding said update messages to said game players, and for receiving said action messages from said game players and forwarding said action messages to said game server (fig. 2, SMS or proxy server and SMCs receive update messages from game server and forwards to players, and receives action messages from the players and forwards to the game server).

Art Unit: 2152

13. For claim 7, Lin further discloses a player proxy records reception time of an update message and uses said reception time to calculate said reaction time once action message is sent by a player (fig. 2, p. 3, col. 2, par. 2, sync_in, calculating reaction time).

Page 5

- 14. For claim 8, Lin further discloses said player proxy sends an update message number, reaction time and action message number with an action message (fig. 2, Ui, update message number, Ai, action message number, fig. 4).
- 15. For claim 9, Lin further discloses a message split mechanism is employed at said player proxy when multiple update messages are outstanding (fig. 4, section 6.1.1, par. 1 and 2, multiple Ui arrives at SMC), each action message associated with a window of update messages, a reaction time being calculated for each action message with respect to each said outstanding update message (fig. 4, section 6.1.1, par. 1 and 2, during bar 2, respective update message of Ai, or rum(Ai) corresponds to the outstanding update message).
- 16. For claim 10, Lin further discloses the wait timeout period is calculated by some multiple of the expected round trip time between said server proxy and player proxy (5.1, MaxWait, par. 1).
- 17. For claim 11, Lin further discloses an appropriate delivery time formula for an action message is utilized depending on whether action messages arrive in order and within their wait timeout periods, action messages arrive out of order but within their wait timeout periods (5.1, par. 1, considering received and delivered all action messages sent to it from any SMC earlier than s(H)), or action messages arrive outside their wait

Art Unit: 2152

timeout periods (5.1, MaxWait, algorithm considers the message too late to be processed in a first order).

- 18. For claim 12, Lin further discloses said server proxy (fig. 2, SMS), when an action message is received, computes a position in a queue where said action message should be inserted and a local delivery time at which said message is to be delivered to said game server (fig. 2, p. 3, col. 2, par. 2, sync_in, SMS determines wait time mark 2 to deliver action message to the game server).
- 19. For claim 13, Lin further discloses said delivery queue is kept sorted based on message number and reaction time, respectively (fig. 2, p. 3, col. 2, par. 2, sync_in, deliver action messages based on increasing order reaction time of players).
- 20. For claim 14, Lin further discloses the delivery time of an action message at a server proxy is calculated before being inserted to a delivery queue (fig. 3, delivery time of A2 is calculated and put in a ready queue to be sent to the game server), and recalculated upon new action message arrival when messages arrive in order or out of order but within their wait timeout periods (5.1, par. 1, algorithm considering whether earlier messages arrived and delivered in or out of order).
- 21. For claim 15, Lin further discloses action message numbers are used by a server proxy when messages arrive out of order to order messages from a specific player and to determine whether all earlier messages sent by said player have arrived (fig. 3, action message has an index i, e.g. Ai).
- 22. For claim 16, Lin further discloses delivery time of an action message at a server proxy is calculated before being inserted to the delivery queue (fig. 3, delivery time of

Art Unit: 2152

A2 is calculated and put in a ready queue to be sent to the game server), and recalculated upon new action message arrival and action message delivery when messages arrive outside of the wait timeout period (5.1, par. 2, too late to be processed in a fair order).

- 23. For claim 17, Lin further discloses when action messages are sent by players (fig. 3, action messages Ai), a set of tuples are tagged onto each of the action messages by their proxies each representing the reaction time from the time a set of update messages are received (fig. 2, p. 3, col. 2, par. 2, sync_in, each action message delivery time is based on reaction time of players), wherein a window for which this information needs to be sent is indicated by the server proxy when it sends an update message (section 5, last par., waiting period enforced by the SMS)
- 24. For claim 18, Lin further discloses a window of update messages for which reaction times are needed is indicated by the server proxy to the player proxies, the window being based on the determination by the server proxy about when to stop accepting action messages corresponding to a particular update message (section 5, last par., waiting period enforced by the SMS).
- 25. For claim 28, Lin further discloses said delivery time is based on a given wait timeout period (5.2, SelectWait).
- 26. For claim 19, Lin discloses a method of providing a fair exchange of messages to players of a distributed multi-player game taking place over a communications network,

Art Unit: 2152

said multi-player game generating update messages to said players and receiving action messages from said players, said method comprising the steps of:

receiving an update message from said game server at a player proxy (fig. 2, p.

Page 8

3, col. 2, par. 2, sync in, proxy SMS receives update messages from game server);

recording reception time of said update message at said player proxy (fig. 2, time of arrival of update message Ui is recorded); and calculating a reaction time using said reception time, said reaction time transmitted by a player in connection with an action message (fig. 2, p. 3, col. 2, par. 2, sync_in, reaction time is calculated as the time difference between the arrival of Ui and the departure of Ai at a player station).

- 27. For claim 20, Lin further discloses said player proxy sends an update message number, reaction time and action message number with an action message (fig. 2, fig. 4).
- 28. For claim 21, Lin further discloses said reaction time is used by said multi-player game to order responses by said players to thereby provide said fair exchange of messages (fig. 2, p. 3, col. 2, par. 2, sync_in, deliver A2 first because player 2 has faster reaction time).
- 29. For claim 22, Lin discloses a system including computer readable code including instructions for use by a server operating in connection with a distributed multi-player game, said instructions providing a fair exchange of messages to players of a distributed multi-player game taking place over a communications network and comprising the steps of:

Art Unit: 2152

generating update messages to said players and receiving action messages from said players by way of said server (introduction, par. 2, game server sends update messages to players and receives action messages from the players);

delivering said action messages for processing by said game server in an order of increasing reaction time (fig. 2, p. 3, col. 2, par. 2, sync_in, the SMS or sync-MS server delivers A2 action message before A1 action message, since player 2 reacts faster), reaction time being a difference between reception of an update message by a player and a sending of an action message by said player in response to said update message (fig. 2, p. 3, col. 2, par. 2, sync_in, time between the arrival of update message and sending out of action message at the player).

30. For claim 23, Lin further discloses code for use by player proxies of said multiplayer game (fig. 2, SMC), said code being operable to:

receive an update message from said game server at a player proxy; record reception time of said update message at said player proxy (fig. 3, SMC receives U1 and records time of U1 arrival); and

calculate a reaction time using said reception time, said reaction time transmitted by a player in connection with an action message (fig. 3, reaction times are delta intervals).

31. For claim 24, Lin further discloses said player proxy sends an update message number, reaction time and action message number with an action message (fig. 3, update message Ui, delta interval or reaction time, action messages Ai).

Art Unit: 2152

32. For claim 25, Lin further discloses said reaction time is used by said multi-player game at said server proxy to order responses by said players to thereby provide said fair exchange of messages (fig. 3, section 5, par. 3, SMS server proxy enforces a wait time for delivery of action messages based on received information).

- 33. For claim 26, the claim is rejected for the same rationale as in claim 11.
- 34. For claim 27, the claim is rejected for the same rationale as in claim 12.
- 35. For claim 29, Lin further discloses an action message being inserted into multiple queues corresponding each to a respective update message in its window (fig. 4, 6.1, par. 1, each action message is associated with a update message).

Conclusion

36. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hieu T. Hoang whose telephone number is 571-270-1253. The examiner can normally be reached on Monday-Thursday, 8 a.m.-5 p.m., EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bunjob Jaroenchonwanit can be reached on 571-272-3913. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2152

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HH

BUNNOB JAROENCHONWANIT SUPERVISORY PATENT EXAMINER

10/22/07